

The results (column J) are reported in mg/l or parts per million. The action level for lead is any result greater than 0.015 mg/l. The action level for copper is any

PORTYPECO	CITYTOWN	ORG CODE	SCHOOL NAME	SCHOOL TYPE	LOCATION ID	SAMPLE LOCATION NAME	PLECOMM	ANALYTENAME
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	001F	BUBBLER SUB BASEMENT BY GIRLS		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	001F	BUBBLER SUB BASEMENT BY GIRLS		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	001P	BUBBLER SUB BASEMENT BY GIRLS		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	001P	BUBBLER SUB BASEMENT BY GIRLS		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	003F	BUBBLER ACROSS FROM ELEVATOR		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	003F	BUBBLER ACROSS FROM ELEVATOR		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	003P	BUBBLER ACROSS FROM ELEVATOR		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	003P	BUBBLER ACROSS FROM ELEVATOR		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	004P	CAFE BOTTLE FILLER		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	004P	CAFE BOTTLE FILLER		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	005F	CAFE BUBBLER		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	005F	CAFE BUBBLER		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	005P	CAFE BUBBLER		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	005P	CAFE BUBBLER		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	007F	KITCHEN FAUCET TEACHER		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	007F	KITCHEN FAUCET TEACHER		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	007P	KITCHEN FAUCET TEACHER		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	007P	KITCHEN FAUCET TEACHER		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	008F	CLASSROOM FAUCET ROOM 106		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	008F	CLASSROOM FAUCET ROOM 106		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	008P	CLASSROOM FAUCET ROOM 106		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	008P	CLASSROOM FAUCET ROOM 106		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	010F	CLASSROOM FAUCET DEPT HEAD		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	010F	CLASSROOM FAUCET DEPT HEAD		COPPER

LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	010P	CLASSROOM FAUCET DEPT HEAD		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	010P	CLASSROOM FAUCET DEPT HEAD		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	011F	CLASSROOM FAUCET ROOM 136		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	011F	CLASSROOM FAUCET ROOM 136		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	011P	CLASSROOM FAUCET ROOM 136		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	011P	CLASSROOM FAUCET ROOM 136		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	012F	BUBBLER HALLWAY: ACROSS 145		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	012F	BUBBLER HALLWAY: ACROSS 145		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	012P	BUBBLER HALLWAY: ACROSS 145		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	012P	BUBBLER HALLWAY: ACROSS 145		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	013F	CLASSROOM FAUCET ROOM 145		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	013F	CLASSROOM FAUCET ROOM 145		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	013P	CLASSROOM FAUCET ROOM 145		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	013P	CLASSROOM FAUCET ROOM 145		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	015F	CLASSROOM FAUCET ROOM 205 B		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	015F	CLASSROOM FAUCET ROOM 205 B		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	015P	CLASSROOM FAUCET ROOM 205 B		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	015P	CLASSROOM FAUCET ROOM 205 B		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	016F	NURSES STAFF BATHROOM LEFT		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	016F	NURSES STAFF BATHROOM LEFT		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	016P	NURSES STAFF BATHROOM LEFT		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	016P	NURSES STAFF BATHROOM LEFT		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	017F	NURSES STUDENT BATHROOM RIGHT		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	017F	NURSES STUDENT BATHROOM RIGHT		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	017P	NURSES STUDENT BATHROOM RIGHT		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	017P	NURSES STUDENT BATHROOM RIGHT		COPPER

LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	018F	SINK NURSES OFFICE		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	018F	SINK NURSES OFFICE		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	018P	SINK NURSES OFFICE		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	018P	SINK NURSES OFFICE		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	019F	CLASSROOM FAUCET ROOM 224 LEFT		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	019F	CLASSROOM FAUCET ROOM 224 LEFT		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	019P	CLASSROOM FAUCET ROOM 224 LEFT		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	019P	CLASSROOM FAUCET ROOM 224 LEFT		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	020F	CLASSROOM FAUCET ROOM 224 RT		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	020F	CLASSROOM FAUCET ROOM 224 RT		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	020P	CLASSROOM FAUCET ROOM 224 RT		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	020P	CLASSROOM FAUCET ROOM 224 RT		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	023F	BUBBLER HALLWAY ACROSS IRC RM		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	023F	BUBBLER HALLWAY ACROSS IRC RM		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	023P	BUBBLER ACROSS FROM IRC ROOM		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	023P	BUBBLER ACROSS FROM IRC ROOM		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	024F	CLASSROOM FAUCET ROOM 304		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	024F	CLASSROOM FAUCET ROOM 304		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	024P	CLASSROOM FAUCET ROOM 304		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	024P	CLASSROOM FAUCET ROOM 304		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	025F	BUBBLER ACROSS FROM 305		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	025F	BUBBLER ACROSS FROM 305		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	025P	BUBBLER ACROSS FROM 305		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	025P	BUBBLER ACROSS FROM 305		COPPER
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	026F	CLASSROOM FAUCET ROOM 306		LEAD
LCCA	Brockton	00440515	Brockton: Brockton Champion High School	Public School	026F	CLASSROOM FAUCET ROOM 306		COPPER

result greater than 1.3 mg/l. "ND" stands for non-detect: the contaminant was not detected above the MDL.

RESULT	UNIT OF MEASURE	MDL DETECTION	ANALYTICAL METHOD	ANALYSIS L	LAB SAMPLE ID	ANALYSIS COMMENTS	SAMPLER NAME	SAMPLE COLLECTION DATE	TIME COLLECTION
ND	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-002		EARL NOCON	12/3/2016	08:06:00
0.059	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-002		EARL NOCON	12/3/2016	08:06:00
0.0016	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-001		EARL NOCON	12/3/2016	08:05:00
0.11	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-001		EARL NOCON	12/3/2016	08:05:00
0.0014	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-004		EARL NOCON	12/3/2016	08:12:00
0.064	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-004		EARL NOCON	12/3/2016	08:12:00
0.0014	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-003		EARL NOCON	12/3/2016	08:11:00
0.100	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-003		EARL NOCON	12/3/2016	08:11:00
ND	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-005		EARL NOCON	12/3/2016	08:13:00
0.046	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-005		EARL NOCON	12/3/2016	08:13:00
ND	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-007		EARL NOCON	12/3/2016	08:14:00
0.026	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-007		EARL NOCON	12/3/2016	08:14:00
ND	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-006		EARL NOCON	12/3/2016	08:14:00
0.036	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-006		EARL NOCON	12/3/2016	08:14:00
ND	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-009		EARL NOCON	12/3/2016	08:19:00
0.077	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-009		EARL NOCON	12/3/2016	08:19:00
ND	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-008		EARL NOCON	12/3/2016	08:18:00
0.10	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-008		EARL NOCON	12/3/2016	08:18:00
ND	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-011		EARL NOCON	12/3/2016	08:24:00
0.080	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-011		EARL NOCON	12/3/2016	08:24:00
0.018	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-010		EARL NOCON	12/3/2016	08:23:00
0.14	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-010		EARL NOCON	12/3/2016	08:23:00
ND	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-013		EARL NOCON	12/3/2016	08:27:00
0.082	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-013		EARL NOCON	12/3/2016	08:27:00

0.0043	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-012		EARL NOCON	12/3/2016	08:26:00
0.064	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-012		EARL NOCON	12/3/2016	08:26:00
0.0045	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-015		EARL NOCON	12/3/2016	08:29:00
0.084	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-015		EARL NOCON	12/3/2016	08:29:00
0.011	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-014		EARL NOCON	12/3/2016	08:28:00
0.10	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-014		EARL NOCON	12/3/2016	08:28:00
0.0034	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-017		EARL NOCON	12/3/2016	08:30:00
0.082	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-017		EARL NOCON	12/3/2016	08:30:00
0.0031	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-016		EARL NOCON	12/3/2016	08:29:00
0.094	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-016		EARL NOCON	12/3/2016	08:29:00
ND	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-019		EARL NOCON	12/3/2016	08:33:00
0.080	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-019		EARL NOCON	12/3/2016	08:33:00
0.022	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-018		EARL NOCON	12/3/2016	08:32:00
0.19	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-018		EARL NOCON	12/3/2016	08:32:00
ND	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-021		EARL NOCON	12/3/2016	08:37:00
0.088	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-021		EARL NOCON	12/3/2016	08:37:00
0.0018	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-020		EARL NOCON	12/3/2016	08:36:00
0.074	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-020		EARL NOCON	12/3/2016	08:36:00
0.0011	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-023		EARL NOCON	12/3/2016	08:40:00
0.077	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-023		EARL NOCON	12/3/2016	08:40:00
0.0058	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-022		EARL NOCON	12/3/2016	08:39:00
0.068	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-022		EARL NOCON	12/3/2016	08:39:00
ND	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-025		EARL NOCON	12/3/2016	08:41:00
0.078	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-025		EARL NOCON	12/3/2016	08:41:00
0.0033	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-024		EARL NOCON	12/3/2016	08:40:00
0.079	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-024		EARL NOCON	12/3/2016	08:40:00

ND	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-027		EARL NOCON	12/3/2016	08:43:00
0.074	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-027		EARL NOCON	12/3/2016	08:43:00
0.0044	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-026		EARL NOCON	12/3/2016	08:42:00
0.10	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-026		EARL NOCON	12/3/2016	08:42:00
ND	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-029		EARL NOCON	12/3/2016	08:48:00
0.080	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-029		EARL NOCON	12/3/2016	08:48:00
0.0099	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-028		EARL NOCON	12/3/2016	08:47:00
0.19	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-028		EARL NOCON	12/3/2016	08:47:00
ND	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-031		EARL NOCON	12/3/2016	08:49:00
0.080	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-031		EARL NOCON	12/3/2016	08:49:00
0.12	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-030		EARL NOCON	12/3/2016	08:48:00
0.84	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-030		EARL NOCON	12/3/2016	08:48:00
0.0015	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-033		EARL NOCON	12/3/2016	08:45:00
0.078	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-033		EARL NOCON	12/3/2016	08:45:00
0.0072	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-032		EARL NOCON	12/3/2016	08:44:00
0.15	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-032		EARL NOCON	12/3/2016	08:44:00
0.011	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-035		EARL NOCON	12/3/2016	08:55:00
0.57	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-035		EARL NOCON	12/3/2016	08:55:00
0.0078	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-034		EARL NOCON	12/3/2016	08:54:00
1.8	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-034		EARL NOCON	12/3/2016	08:54:00
0.0013	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-037		EARL NOCON	12/3/2016	08:57:00
0.095	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-037		EARL NOCON	12/3/2016	08:57:00
0.0047	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-036		EARL NOCON	12/3/2016	08:56:00
0.11	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-036		EARL NOCON	12/3/2016	08:56:00
ND	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-039		EARL NOCON	12/3/2016	09:00:00
0.086	MG/L	0.0010	EPA 200.8	RI ANALYT	1612-29427-039		EARL NOCON	12/3/2016	09:00:00

